

Chapter 1 Electric Charges and Fields

Assignment 3

Class 12

RNA EDUCATION



Class: XIIth Date:

Subject: PHYSICS


DPP No.: 3

Topic :-Electric charges and fields

1. In the figure, a proton moves a distance d in a uniform electric field \vec{E} as shown in the figure. Does the electric field do a positive or negative work on the proton? Does the electric potential energy of the proton increase or decrease

$$\overrightarrow{E}$$
 \longleftrightarrow
 p

- a) Negative, increase
- b) Positive, decrease
- c) Negative, decrease
- d) Positive, increase
- When one electron is taken towards the other electron, then the electric potential energy of the system
 - a) Decreases
- b) Increases
- c) Remains unchanged d) Becomes zero
- 3. Four electric charges +q, +q, -q and -q are placed at the corners of a square of side 2L (see figure). The electric potential at point A, midway between the two charges +q



a) Zero

b)
$$\frac{1}{4\pi\varepsilon_0} \frac{2q}{L} (1 + \sqrt{5})$$

- b) $\frac{1}{4\pi\varepsilon_0} \frac{2q}{L} \left(1 + \sqrt{5}\right)$ c) $\frac{1}{4\pi\varepsilon_0} \frac{2q}{L} \left(1 + \frac{1}{\sqrt{5}}\right)$ d) $\frac{1}{4\pi\varepsilon_0} \frac{2q}{L} \left(1 \frac{1}{\sqrt{5}}\right)$
- A charged particle q is shot towards another charged particle Q which is fixed, with a speed v.

It approaches Q upto a closest distance r and then returns. If q is shot with speed 2v, the closest distance of approach would be

a) $\frac{r}{}$

c) $_{2r}$

- $d)_r$
- When the distance between the charged particles is halved, the force between them becomes

PRERNA EDUCATION

- a) One-fourth b) Half c) Double d) Four times
- 6. Two identify long parallel conducting plates having surface charge densities $+\sigma$ and $-\sigma$ respectively, are separated by a small distance. The medium between the plates is vacuum. If ε_0 is the dielectric permittivity of vacuum, then the electric field in the region between the plates is
 - a) $_0 \ volts/meter$ b) $\frac{\sigma}{2\varepsilon_0} \ volts/meter$ c) $\frac{\sigma}{\varepsilon_0} \ volts/meter$ d) $\frac{2\sigma}{\varepsilon_0} \ volts/meter$
- 7. The capacity of the conductor does not depend upon
 - a) Charge

b) Voltage

c) Nature of the material

d) All of these


- 8. The electric intensity due to an infinite cylinder of radius R and having charge q per unit length at a distance r(r > R) from its axis is
 - a) Directly proportional to r^2

b) Directly proportional to r^3

c) Inversely proportional to r

d) Inversely proportional to r^2

9. The equivalent capacitance between A and B is



a)_{C/4}

b) 3C/4

c) C/3

d) 4C/3

10. The force between two charges 0.06m apart is 5N. If each charge is moved towards the other by 0.01m, then the force between them will become

a) 7.20N

b)_{11.25}N


c) _{22.50N}

d) 45.00N

- 11. Identify the WRONG statement
 - a) In an electric field two equipotential surface can never intersect $% \left(1\right) =\left(1\right) \left(1$
 - b) A charged particle free to move in an electric field shall always move in the direction of \vec{E}
 - c) Electric field at the surface of a charged conductor is always normal to the surface

PRERNA EDUCATION

- d) The electric potential decrease along a line of force in an electric field
- 12. Three infinitely long charge sheets are placed as shown in figure. The electric field at point *P* is






b)
$$-\frac{2\sigma}{\varepsilon_0}\hat{k}$$

c)
$$\frac{4\sigma}{\varepsilon_0} \hat{k}$$

d)
$$-\frac{4\sigma}{\varepsilon_0}\hat{k}$$

13. Electric charge is uniformly distributed along a long straight wire of radius 1 *mm*. The charge per *cm* length of the wire is *Q coulomb*. Another cylindrical surface of radius 50 *cm* and length 1 *m* symmetrically encloses the wire as shown in the figure. The total electric flux passing through the cylindrical surface is



a) $\frac{Q}{\varepsilon_0}$

- b) $\frac{100Q}{\varepsilon_0}$
- c) $\frac{10Q}{(\pi \varepsilon_0)}$
- $\frac{100Q}{(\pi \varepsilon_0)}$
- 14. A particle of m' and charge q' is accelerated through a potential difference of V volt, its energy will be
 - a) *qV*

- b) $_{mqV}$
- c) $\left(\frac{q}{m}\right)V$
- d) $\frac{q}{mV}$
- 15. Two charges q_1 and q_2 are placed in vacuum at a distance d and the force acting between them is F. If a medium of dielectric constant 4 is introduced between them, the force now will be
 - a) _{4F}

b) ₂*F*

c) $\frac{F}{2}$

- d) $\frac{F}{4}$
- 16. Charges +2q, +q and +q are placed at the corners A, B and C of an equilateral triangle ABC. If E is the electric field at the circumcentre O of the triangle, due to the charge +q, then the magnitude and direction of the resultant electric field at O is
 - a) E along AO
- b) 2E along AO
- c) E along BO
- d) E along CO
- 17. The value of electric potential at any point due to any electric dipole is

ERNA EDUCATION


a)
$$k \cdot \frac{\vec{p} \times \vec{r}}{r^2}$$

b)
$$k.\frac{\vec{p} \times \vec{r}}{r^3}$$
 c) $k.\frac{\vec{p}.\vec{r}}{r^2}$


c)
$$k \cdot \frac{\vec{p} \cdot \vec{r}}{r^2}$$

d)
$$k \cdot \frac{\vec{p} \cdot \vec{r}}{r^3}$$

18. In the circuit shown in figure, each capacitor has a capacity of $3\mu F$. The equivalent capacity between A and B is



19. What is the effective capacitance between points *X* and *Y*




a) $24\mu F$

c) _{12µ}F

d) $_{6\mu F}$

20. In the figure a potential of + 1200 V is given to point A and point B is earthed, what is the potential at the point *P*



b) $_{200} V$

c) _{400 V}

d)_{600 V}