

**Topic :- Reproductive Health**

- Find out the correct statement  
I. Pills prevents ovulation of contraception technique  
II. Copper-T prevents implantation  
III. Vasectomy produces semen containing no sperm  
a) I and II                      b) II and III                      c) I and III                      d) I, II and III
- Ist, 2nd, 3rd dose of DPT is given by  
I. 6 weeks after birth  
II. 10 weeks after birth  
III. 14 weeks after birth  
IV. 24 weeks after birth  
V. 29 weeks after birth  
a) I, III and IV                      b) III, IV and V                      c) I, II and III                      d) V, I and II
- Which hormone of the female body is suppressed by the oral contraceptive pills?  
a) FSH                      b) Inhibit                      c) Progesterone                      d) Testosterone
- Growth curve is normally:  
a) J-shaped                      b) V-shaped                      c) S-shaped                      d) C-shaped
- Which one of the following statements is incorrect about menstruation?  
a) At menopause in the female, there is especially abrupt increase in gonadotropic hormones  
b) The beginning of the cycle of menstruation is called menarche  
c) During normal menstruation about 40 ml blood is lost  
d) The menstrual fluid can easily clot
- Which of the following birth control measures can be considered as the safest?  
a) The rhythm method                      b) The use of physical barriers  
c) Termination of unwanted pregnancy                      d) Sterilization techniques
- Sterilization method used in human beings is/are called  
a) Vasectomy                      b) Tubectomy                      c) Both (a) and (b)                      d) None of the above
- The first case of IVF-ET techniques success, was reported by:  
a) Bayliss and Starling Taylor                      b) Robert Steptoe and Gilbert Brown



- a) Methodology
- c) Nature of the cells

- b) Nature of the sperms
- d) Number of the cells