

CLASS : XII<sup>th</sup>

DATE :

SUBJECT : CHEMISTRY

DPP NO. : 1

## Topic :-REDOX REACTIONS

- The correct order of reducing power of halide ions is :
  - $\text{Cl}^- > \text{Br}^- > \text{I}^- > \text{F}^-$
  - $\text{Cl}^- > \text{I}^- > \text{Br}^- > \text{F}^-$
  - $\text{Br}^- > \text{Cl}^- > \text{I}^- > \text{F}^-$
  - $\text{I}^- > \text{Br}^- > \text{Cl}^- > \text{F}^-$
- The reaction,  $3\text{ClO}^-(aq) \rightarrow \text{ClO}_3^-(aq) + 2\text{Cl}^-(aq)$  is an example of :
  - Oxidation reaction
  - Reduction reaction
  - Disproportionation reaction
  - Decomposition reaction
- The ox.no. of S in  $\text{Na}_2\text{S}_4\text{O}_6$  is :
  - + 2.5
  - +2 and +3 (two S have +2 and other two have +3)
  - +2 and +3 (three S have +2 and one S has +3)
  - +5 and 0 (two S have +5 and the other two S have 0)
- Oxidation is a process which involves :
  - de-electronation
  - Electronation
  - Addition of hydrogen
  - Addition of metal
- A student states that heating of limestone is an oxidation process, the reason he gives that an oxide of the metal is produced on heating. Which one is correct?
  - The statement and reason are true
  - The statement and reason are wrong
  - The statement is true but the reason is false
  - None of the above
- A sulphur containing species that cannot be an oxidising agent is :
  - $\text{H}_2\text{SO}_4$
  - $\text{H}_2\text{S}$
  - $\text{SO}_2$
  - $\text{H}_2\text{SO}_3$
- $\text{KMnO}_4$  acts as ..... indicator in its redox titrations.
  - Self
  - External
  - Internal
  - Not an
- In a reaction between zinc and iodine in which zinc iodide is formed, which is oxidised?

- a) Zinc ions                      b) Iodide ions                      c) Zinc atom                      d) Iodine
9. The best oxidising agent of the oxygen family is:  
 a) Tellurium                      b) Selenium                      c) Sulphur                      d) Oxygen
10. The oxidation state of iron in sodium nitroprusside is :  
 a) +2                      b) +1                      c) Zero                      d) +3
11. A compound of Xe and F is found to have 53.3% Xe. Oxidation number of Xe in this compound is :  
 a) -4                      b) Zero                      c) +4                      d) +6
12. Which combination is odd with respect to oxidation numbers of S, Cr, N and H respectively:  
 a)  $\text{H}_2\text{SO}_5$ ,  $\text{H}_2\text{S}_2\text{O}_8$ ,  $\text{H}_2\text{SO}_4$ ,  $\text{SF}_6$   
 b)  $\text{K}_2\text{Cr}_2\text{O}_7$ ,  $\text{K}_2\text{CrO}_4$ ,  $\text{CrO}_5$ ,  $\text{CrO}_2\text{Cl}_2$   
 c)  $\text{NH}_3$ ,  $\text{NH}_4^+$ ,  $\text{N}_3\text{H}$ ,  $\text{NO}_2^-$   
 d)  $\text{CaH}_2$ ,  $\text{NaH}$ ,  $\text{LiH}$ ,  $\text{MgH}_2$
13. 0.2 g of a sample of  $\text{H}_2\text{O}_2$  required 10 mL of  $N$   $\text{KMnO}_4$  in a titration in the presence of  $\text{H}_2\text{SO}_4$ . Purity of  $\text{H}_2\text{O}_2$  is :  
 a) 25%                      b) 85%                      c) 65%                      d) 95%
14. When  $\text{KMnO}_4$  as oxidising agent and ultimately forms  $\text{MnO}_4^{2-}$ ,  $\text{Mn}_2\text{O}_3$  and  $\text{Mn}^{2+}$ , the number of electrons transferred per mole of  $\text{KMnO}_4$  each case respectively is :  
 a) 4, 3, 1, 5                      b) 1, 5, 3, 7                      c) 1, 3, 4, 5                      d) 1, 3, 8, 5
15. Titration of KI with  $\text{H}_2\text{O}_2$  in presence of acid is a :  
 a) Clock reaction                      b) Redox reaction                      c) Intermolecular redoxd) All of these
16. Oxidation state of nitrogen is incorrectly given for :
- | Compound  | Oxidation state |
|---|-----------------|
| a) $[\text{Co}(\text{NH}_3)_5\text{Cl}]\text{Cl}_2$ | -3              |
| b) $\text{NH}_2\text{OH}$                           | -1              |
| c) $(\text{N}_2\text{H}_5)_2\text{SO}_4$            | +2              |
| d) $\text{Mg}_3\text{N}_2$                          | -3              |
17. Fluorine exhibits only -1 oxidation state, while iodine exhibits oxidation states of -1, +1, +3, +5 and +7. This is due to :  
 a) Fluorine being a gas  
 b) Available  $d$ -orbitals in iodine  
 c) Non-availability of  $d$ -orbitals in iodine  
 d) None of the above
18. Elements which generally exhibit multiple oxidation states and whose ions are coloured are known as :  
 a) Metalloid                      b) Non-metals                      c) Metals                      d) Transition metals

19. The oxidation state of sulphur in sodium tetrathionate ( $\text{Na}_2\text{S}_4\text{O}_6$ ) is  
a) 2                      b) 0                      c) 2.5                      d) 3.5
20. Which is strongest oxidising agent?  
a)  $\text{O}_3$                       b)  $\text{O}_2$                       c)  $\text{Cl}_2$                       d)  $\text{F}_2$

PE