

CLASS: XIth
DATE:
SUBJECT: CHEMISTRY
DPP No.: 3

Topic :- STRUCTURE OF ATOM

1.	The energy of an electron in first Bohr orbit of H-atom is -13.6 eV. The possible energy value of electron in the excited state of Li^{2+} is					
	a) -122.4 eV	b) 30.6 eV	c) -30.6 eV	d) 13.6 eV		
2.	When the azimuthal quantum number has the value of 2, the number of orbitals possible are					
	a) 7	b) 5	c) 3	d) 0		
2	Compared to the lightest stars the heaviest stars weight					
3.	Compared to the lightest atom the heaviest atom weighs:					
	a) 200 times	b) 238 times	c) 92 times	d) 16 times		
4.	If the following particles travel with equal speed, then for which particle the wavelength will be					
	longest?		, F			
	a) Proton	b) N <mark>eutr</mark> on	c) α-particle	d) β -particle		
				<i>7.</i> 1		
5.	The orbital cylindrically symmetrical about <i>x</i> -axis is:					
	a) p_z	b) p_y	c) p_x	d) d_{xz}		
6.	The orbital with maximum number of possible					
	a) <i>s</i>	b) <i>p</i>	c) <i>d</i>	d) <i>f</i>		
7	Einstein's photoelectric equation states that $E_k = hv - W$					
7.	Here, E_k refers to					
		ajacted alactrons	b) Mean kinetic energy of emitted electrons			
	a) Kinetic energy of all ejected electrons b) Mean kinetic energy of emitted electrons c) Minimum kinetic energy of emitted electrons d) Maximum kinetic energy of emitted					
	electrons					
8.	The orbital closest to the nucleus is:					
	a) 7 <i>s</i>	b) 3 <i>d</i>	c) 6 <i>p</i>	d)4s		
9.	Isoelectronic pair among the following is					
	a) Ca and K	b) Ar and Ca ²⁺	c) K and Ca ²⁺	d) Ar and K		

10.	We can say that the energy of a photon of frequency v is given by $E = hv$, where h is Planc constant. The momentum of a photon is $p = h/\lambda$, where λ is the wavelength of photon. Then may conclude that velocity of light I equal to:						
	a) $(E/p)^{1/2}$	b) <i>E</i> / <i>p</i>	c) Ep	$d)(E/p)^2$			
11.	Uncertainty in position of a particle of 25 g in space is 10^{-5} m. Hence, uncertainty in velocity (ms ⁻¹) is (Planck's constant $h = 6.6 \times 10^{-34}$ Js)						
	•	b) 2.1×10^{-34}	c) 0.5×10^{-34}	d) 5.0×10^{-24}			
12.	The mass of a neutron a) $10^{-23} \mathrm{kg}$	is of the order of: b) 10 ⁻²⁴ kg	c) 10^{-26} kg	d) 10^{-27} kg			
13.	The de Broglie waveler a) 1×10^{-36} m	ngth of a 66 kg man sking b) 1×10^{-37} m	0.0	mla at 1×10^3 msec ⁻¹ is: d) 1×10^{-39} m			
14.	The Z — component of angular momentum of an electron in an atomic orbital is governed by the						
	a) Magnetic quantum n c) Spin quantum numb		b) Azimuthal quantum d) Principal quantum r				
15.	An electron with values 4, 2, -2 and $+1/2$ for the set of four quantum numbers n , l , m_l and s respectively, belongs to						
	a) 4s-orbital	b) 4 p-orb ital	c) 4 <i>d</i> -orbital	d)4 <i>f</i> -orbital			
16.	Consider the following statements: 1.Electron density in xy plane in $3d_{x^2-y^2}$ orbital is zero 2.Electron density in xy plane in $3d_{z^2}$ orbital is zero 3.2 s orbital has only one spherical node 4.For $2p_z$ orbital yz is the nodal plane The correct statements are						
	a) 2 and 3	b) 1,2,3,4	c) Only 2	d) 1 and 3			
17.	The maximum probability of finding electron in the d_{xy} orbital is: a) Along the x -axis b) Along the y -axis c) At an angle of 45° from the x -and y -axes d) At an angle of 90° from the x -and y -axes						
18.	Two electron in an atm a) The same principle of b) The same azimuthal c) The same magnetic of	quantum number	ave:				

- d) An identical set of quantum numbers
- 19. The energy of electromagnetic radiation depends on:
 - a) Amplitude and wavelength
 - b) Wavelength
 - c) Amplitude
 - d) Temperature of medium through which it passes
- 20. Correct electronic configuration of Cu^{2+} is: a) [Ar]3 d^8 ,4 s^1 b) [Ar]3 d^{10} ,4 s^2 4 p^1
- c) [Ar] $3d^{10}$,4 s^1
- d) [Ar] $3d^9$

