

DPP

DAILY PRACTICE PROBLEMS

Class : XIIth
Date :

Subject : BIOLOGY
DPP No. : 6


Topic :- Reproductive Health

- Medical termination of Pregnancy (MTP) is considered safe up to how many weeks of pregnancy?
a) Eight weeks b) Twelve weeks c) Eighteen weeks d) Six weeks
- Identify the false statement regarding the techniques of contraception
I. There are many side effects of tubectomy and vasectomy
II. Purpose of tubectomy is to prevent egg formation
III. The most important component of the oral contraceptive pill is progesterone
IV. Contraceptive oral pills help in birth control by preventing ovulation
a) I, II and III b) I and II c) III, IV and II d) IV and II
- What measures should be taken to avoid the transmission of STD?
I. Avoid sex with unknown
II. Avoid sex with multiple partner
III. Do protected sex
IV. Avoid sharing needle
a) I, II and IV b) I, II and III c) I, II and IV d) All of these
- When MTP was legalized in India?
a) 1951 b) 1971 c) 1981 d) 1924
- Injections and implants (the progesterone or progesterone oestrogen combination) are used by the females under the
a) Skin of the inner arm above elbow b) Vagina
c) Stomach's upper skin d) Cervix
- Higher population in cities is mainly due to:
a) More opportunities for education b) Availability of clean drinking water
c) Better sanitation d) Higher income resources.
- Population explosion is
a) Increased frequency of diseases in population
b) Rapid increase in population number
c) Rapid decrease in population number
d) None of the above

- 8. The most important component of contraceptive pills is:
 - a) Progesterone
 - b) Growth hormone
 - c) Thyroxine
 - d) Luteinising hormone

- 9. Find out correct choice for IUD
 - I. Increases phagocytes of sperms
 - II. Releases Cu^{2+} ions that suppresses the sperms motility and fertilizing capacity of sperms
 - III. Make the uterus unsuitable for implantations
 - a) I, II and III
 - b) I and II
 - c) Only I
 - d) None of the above

10. Which is the figure given below showing in particular?



- a) Uterine cancer
 - b) Tubectomy
 - c) Vasectomy
 - d) Ovarian cancer
-
- 11. In India, first census was conducted in:
 - a) 1851
 - b) 1872
 - c) 1921
 - d) 1951

 - 12. Infertile couples can produce a baby with the help of
 - a) ART
 - b) AIT
 - c) GIFT
 - d) All of the above

 - 13. What is the function of copper T?
 - a) Prevents mutation
 - b) Prevents fertilization
 - c) Prevents zygote formation
 - d) (B) and (C)

 - 14. What was the world human population in 2000?
 - a) 6 billion
 - b) 5 billion
 - c) 3 billion
 - d) 2 billion

 - 15. When the ovulation is expected in a normal menstrual cycle?
 - a) 10-17 day of menstrual phase
 - b) 12-14 day of menstrual phase
 - c) 10-20 day of menstrual phase
 - d) 6-7 day of menstrual phase

 - 16. The best way to decrease population of a country is:
 - a) To educate people
 - b) To have better houses
 - c) To kill people on large scale
 - d) To practise and implement family planning

 - 17. Oral polio vaccine and hepatitis first dose is given to a child at
 - a) 6 weeks after birth
 - b) 10 weeks after birth
 - c) 20 weeks after birth
 - d) 24 weeks after birth

 - 18. Age for marriage in India is
 - Male** **Female**
 - a) 21 years 18 years
 - b) 25 years 17 years

