CBSE Test Paper 03 CH-4 Linear Equations in Two Variables

- 1. The graph of a linear equation x 5y + 3 = 0 cuts the x-axis at the point
 - a. (-5,0)
 - b. (5,0)
 - c. (-3,0)
 - d. (3,0)
- 2. Which of the following pair is a solution of the equation 3x 2y = 7?
 - a. (-2, 1)
 - b. (1, -2)
 - c. (5,1)
 - d. (1,5)
- 3. The graph of the linear equation 3x 2y = 6, cuts the x-axis at the point
 - a. (0, -2)
 - b. (-2, 0)
 - c. (2,0)
 - d. (0,2)
- 4. Express 'y' in terms of 'x' in the equation 5y 3x 10 = 0.
 - a. $y = \frac{3-10x}{5}$ b. $y = \frac{3+10x}{5}$ c. $y = \frac{3x-10}{5}$

d.
$$y = \frac{3x+10}{5}$$

- 5. The graph of the line x = -2 passes through
 - a. (3, -2)
 - b. (-2, 3)
 - c. (0, 4)
 - d. (-1, 4)
- 6. Fill in the blanks:

Any point on the X-axis is of the form of _____.

7. Fill in the blanks:

The equation x = 7, in two variables can be written as_____

- 8. Is (x, 0) a point on the x-axis? Give reason.
- 9. Express the given statement in the form of a linear equation in two variables: The cost of a half dozen eggs is the same as the cost of one packet bread.
- 10. Express x in terms of y for the linear equation $\frac{2}{3}x + 4y = -7$.
- 11. If $x = k^2$ and y = k is a solution of the equation x 5y + 6 = 0, find the values of k.
- 12. Give the geometric representation of y = 3 as an equation
 - i. In one variable,
 - ii. In two variables
- 13. Find four solutions for the following equation: 12x + 5y = 0
- 14. Find four solutions for the following equation :5x 3y = 0
- 15. Draw the graphs of 2x + y = 6 and 2x y + 2 = 0. Shade the region bounded by these lines and x-axis.

CBSE Test Paper 03

CH-4 Linear Equations in Two Variables

Solution

1. (c) (-3,0)

Explanation: when a line cuts x -axis in that case y co-ordinate is 0 so to find the co-ordinate of x we put y = 0 in given equation x - 5y + 3 = 0at y = 0x - 5.0 + 3 = 0x + 3 = 0x = -3 so the co-ordinate are (-3,0) 2. (b) (1, -2) **Explanation:** solution of the equation 3x - 2y = 7is (1,-2) as it satisfy the given equation 3x - 2y = 7=> 3(1) - 2(-2) = 7 => 3+4=7 LHS = RHS3. (c) (2, 0) **Explanation:**

the linear equation 3x - 2y = 6, cuts the x-axis

when y co-ordinate is 0

so we put y = 0 in given equation 3x - 2y = 6

3x - 2.0 = 6

3x = 6 $x = \frac{6}{3}$ x=2

so the co-ordinates are (2,0)

4. (d)
$$y = \frac{3x+10}{5}$$

Explanation:

5 y-3 x-10=0 5 y-3 x=10 5 y=10+3 x $y = \frac{10+3x}{5}$

5. (b) (-2, 3)

Explanation: because value of x -co-ordinate is - 2

- 6. (x, 0)
- 7. 1 x + 0 y = 7
- 8. Yes, the point (x,0) lies on x-axis because the coordinate of any point on x-axis is zero.
- 9. Let the cost of one egg be Rs. x and cost of one packet bread is Rs. y. 6x = y
- 10. According to the ques<mark>tion, given equation is $\frac{2}{3}x + 4y = -7$ </mark> $\Rightarrow \frac{2}{3}x = -7 - 4y$ $\Rightarrow 2x = 3(-7 - 4y) \ \Rightarrow x = rac{-21 - 12y}{2}$
- 11. Given equation is:

$$x - 5y + 6 = 0 \dots (1)$$

It is given that $x = k^2$ and y = k is a solution of the equation x - 5y + 6 = 0. On putting the corresponding value of x and y in (1), we get

$$k^{2} - 5k + 6 = 0$$

$$\Rightarrow k^{2} - 3k - 2k + 6 = 0$$

$$\Rightarrow k(k - 3) - 2(k - 3) = 0$$


$$\Rightarrow (k - 2)(k - 3) = 0$$

0

$$\Rightarrow$$
 k = 2 or 3

- 12. We need to represent the linear equation y = 3 geometrically in one variable.
 - i. We can conclude that in one variable, the geometric representation of the linear equation y=3

will be same as representing the number 3 on a number line.




geometrically in two variables.

We know that the linear equation y = 3 can also be written as x + y = 3.

ii. We can conclude that in two variables, the geometric representation of the linear equation y=3

will be same as representing the graph of linear equation x + y = 3. Given below is the representation of the linear equation x + y = 3 on a graph. We can optionally consider the given below table for plotting the linear equation $0 \cdot x + y = 3$ on the graph.

| x | 1 | 0 |
|---|---|---|
| у | 3 | 3 |



0

14.
$$5x - 3y = 0$$

⇒ $3y = 5x$
⇒ $y = \frac{5}{3}x$
Put x = 0, then $y = \frac{5}{3}(0) = 0$
Put x = 3, then $y = \frac{5}{3}(3) = 5$
Put x = 6, then $y = \frac{5}{3}(6) = 10$
Put x = 9, then $y = \frac{5}{3}(9) = 15$
∴ (0, 0), (3, 5), (6, 10) and (9, 15) are the four solutions of the equation $5x - 3y = 0$.

15. We have,

2x + y = 6.....(i)and 2x - y = 2 = 0.....(ii)Graph of the equation 2x + y = 6We have, $2x + y = 6 \Rightarrow y = 6 - 2x$ When x = 0, we have y = 6When x = 3, we have y = 0

Thus, we have the following table giving two points on the line represented by the equation 2x + y = 6

| x | 0 | 3 |
|---|---|---|
| у | 6 | 0 |

Plotting the points A (0,6) and B(3,0) on the graph paper on a suitable scale and drawing a line joining them, we obtain the graph of the line represented by the

equation 2x + y = 6.

Graph of the equation 2x - y + 2 = 0:

We have,

 $2x - y + 2 = 0 \Rightarrow y - 2x + 2$


When x = 0, we have y = 2

When x = -1, we have y = 0

Thus, we have the following table giving two points on the line representing the given equation

| x | 0 | - 1 |
|---|---|-----|
| У | 2 | 0 |

Plotting the points C(0,2) and D (-1, 0) on the same graph paper and joining them, we obtain the graph of the line represented by the equation 2x - y + 2 = 0.



The region bounded by these lines and x-axis is shown in the graph.